

DATASHEET

D-ONE TG ANSI



GENERAL

Art.Nr: H-6101-820-TG

E-class number: 40-21-07-12

Customs tariff
number: 76169990

Net weight: 0.00 kg

Gross weight: 0.00 kg

DATASHEET

D-ONE TG ANSI

The D-ONE ANSI is the international high-performance version of the D-ONE, engineered according to ANSI standards for maximum safety in demanding industrial applications. Its reinforced construction provides exceptional strength of up to 16 kN in cross and frontal loading, making it one of the strongest aluminum carabiners in its class. The D-shape ensures optimal load distribution, while the large gate opening allows easy handling even when wearing gloves. Ideal for markets with ANSI requirements and for users who demand the highest safety margins.

FEATURES

Colour:	Orange, Grey
Swivel:	No
Gate opening:	18 mm
MBS MAJOR AXIS:	34 kN
MBS MINOR AXIS:	16 kN
Form fit:	Key Lock
Carabiner type:	Type B (EN 12275: 2013), Type M (EN 362:2004)
Maximum lifetime:	30 years
Minimum temperature:	-29 °C
Maximum temperature:	40 °C
Standard ANSI:	Yes
Standard CSA:	No
UIAA compliance:	No
Anti-twist device:	No
Individually tested:	Yes
100% quality control:	Yes
Hot forged:	Yes
Hard coated:	No
Locking mechanism:	Trilock

MATERIAL

Material:	Aluminium
-----------	-----------

DATASHEET
D-ONE TG ANSI

