

DATASHEET

XARRIER



GENERAL

Art.Nr:	G-1173-L/XL	Standards:	EN 12277:2015/C+A1:2018, EN 12277:2015+A1:2018/A, EN 358:2018, EN 361:2002, EN 813:2008
GTIN:	8057733308585	Net weight:	0.99 kg
E-class number:	40-21-04-01	Gross weight:	0.99 kg
Customs tariff number:	63079098		

DATASHEET

XARRIER

This lightweight, ergonomic waist harness offers an optimum combination of comfort and functionality - ideal for rope workers who value freedom of movement and low weight. It is equipped with two side attachment points made of webbing, a ventral point made of light metal and a rear webbing attachment point. In combination with the TOP X or TOP Y chest harnesses, it becomes a complete harness in accordance with EN 361 with a total of five attachment points.

The breathable mesh padding, differentiated padded leg loops and color-coded markings (green = right, red = left) ensure comfort and ease of use. Adjustable elastic straps on the back allow the leg loops to be individually positioned. The side EN 358 attachment points are marked with orange markings, the rear "R"-marked point is used exclusively for connecting a restraint system.

Two eyelets for mounting a positioning seat, four large material holders, two tool eyelets and two loops for carabiners round off the harness.
Maximum working load: 140 kg.

FEATURES

Colour:	Grey, Orange
Attachment points:	Side polyester attachment point, Sit harness aluminium attachment point, Restraint polyester attachment point
Number of material loops 7 kg:	0
Number of material loops 10 kg:	0
Number of material loops 15 kg:	0
Hand wash:	40 °C
Maximum lifetime:	10 years
Minimum hip size:	80 cm
Maximum hip size:	120 cm
Minimum leg size:	55 cm
Maximum leg size:	70 cm
Min. temperature:	-20 °C
Max. temperature:	60 °C
Padding:	Back padding, Leg paddings
Buckles:	stick_buckle
Adjusting buckles:	Adjusting buckles hips, Adjusting buckles legs

DIMENSIONS

Size:	L-XL
-------	------

MATERIAL

DATASHEET

XARRIER

Material: Polyamide, Polyester,
Polyethylene, Steel,
Aluminium
