

DW 200

MOBILE CANTILEVER ANCHOR POINT

EN 795/B, CEN/TS 16415



The DW 200 anchoring device with three anchor points is ideal for use on flat roofs where there is a need to work outside the edge of the roof. The included wheels allow for quick repositioning of the device without the need to reload the weights. The wheel lock protects against the device's uncontrolled movement.



**VIDEO
PRODUCT PRESENTATION**

<https://vimeo.com/296416447>

SPECIAL FEATURES



Protection for max. 3 users

PARAMETERS

Material	galvanized steel
Dimensions	2420 x 1766 x 2486 mm
Max. number of users	3

Total weight	348.5 kg
Weight of the frame	48.5 kg

WEIGHT

Weight (1 piece)	25 kg
Number of weights	12 pcs

VARIANTS

ref. no.

DW200

PROTEKT

PROTEKT Grzegorz Laszkiewicz Spolka z o.o. Starorudzka 9, 93-403 Lodz, POLAND
KRS: 0001009727 | REGON: 524047958 | NIP: 7292747932

WWW.PROTEKT.PL

EXPORT SALES DEPARTMENT Skromna 6, 93-405 Lodz, POLAND
Phone: +48 42 29 29 500, export@protekt.com.pl, Fax +48 42 680-20-93

ADDITIONAL PHOTOS



PHOTOS 360 (ROTATING)



DW 200

MOBILE CANTILEVER ANCHOR POINT

