

DATASHEET

GORDON ROPE 10.5



GENERAL

Art.Nr:	L-0741-5	Standards:	ANSI Z359.14:2014, EN 360:2002
GTIN:	4030281297512	Net weight:	0.59 kg
E-class number:	40-21-01-91	Gross weight:	0.59 kg
Customs tariff number:	56075030		

DATASHEET

GORDON ROPE 10.5

Configured semi-static rope SUPER STATIC 10.5 (R-064) with sewn eyes for use with the GORDON or GORDON RESCUE fall arrest devices. The GORDON device itself is not included. Semi static rope for GORDON retractable type fall arresters Sewn eyes for direct use Available in various lengths.

FEATURES

Colour:	White, Orange, Blue
Number of standard falls:	11
Hand wash:	40 °C
Edge approved:	No
Core ratio:	63.00
Knotability:	1.00
Maximum lifetime:	10 years
Maximum catch force:	6.00 kN
Minimum tensile strength:	32.70 kN
Minimum strength figure eight knot:	16.30 kN
Minimum temperature:	-35 °C
Maximum temperature:	45 °C
Melting temperature:	210 °C
Shrinkage:	2.70
Rope features:	UV resistance
Rope character:	Static rope
Rope construction:	Kernmantel rope
Rope type industry:	Type A
Static elongation:	4.10
Weight per meter:	68.00 g
Working Load Limit:	300 kg

DIMENSIONS

Rope length:	5.00 m
--------------	--------

DATASHEET

GORDON ROPE 10.5

length_lanyard:	5.00 m
-----------------	--------

Rope diameter:	10.50 mm
----------------	----------

MATERIAL

Material:	Polyamide
-----------	-----------