

DATASHEET

SKR-2 + KIT 12



GENERAL

Art.Nr: SET-170

GTIN: 4030281313458

Customs tariff
number: 84799070

Net weight: 0.51 kg

Gross weight: 0.51 kg

DATASHEET

SKR-2 + KIT 12

Our fall protection set, which complies with the EN 353-2 and EN 12841-A standards, offers optimum safety and mobility when working at height and on ropes.

- Easy installation and removal: The belay can be easily installed and removed anywhere on the rope.

- Versatile attachment: It can be attached to the harness either by a carabiner in accordance with EN 362 or with the KIT 12 lanyard.

- Excellent gliding properties: The device glides smoothly along the rope during both ascent and descent without the user having to intervene.

- Manual blocking: The belay can be manually blocked on the rope to reduce the potential fall factor to a minimum.

- Increased mobility: The lanyard accessory allows the user more freedom of movement in terms of rope routing.

- Robust material: Made from sturdy 16 mm polyester (PES) tape.

- High-quality carabiners: Equipped with oval light metal carabiners and Triplex PILLAR TG clasp.

- Fix Pro positioning: Equipped with FIX PRO positioning brackets that prevent twisting of the fasteners around the belt and

FEATURES

Colour:	Silver, Grey, Orange
---------	----------------------

Minimum temperature:	-30 °C
----------------------	--------

Maximum temperature:	50 °C
----------------------	-------

MATERIAL

Material:	Steel, Polyester, Aluminium
-----------	-----------------------------

DATASHEET

SKR-2 + KIT 12

the possibility of lateral loads
on the secondary axis.

- Optimal length: Total length of 32 cm
(carabiner included).

Compatibility:

- EN 12841:2006-A: To be used with ropes
according to EN 1891-A with a diameter
of 10.5 to 11 mm.

- EN 353-2:2002: To be used with PATRON
PLUS 11 ropes or PATRON 10.5 ropes.

This product is a kit consisting of the
components listed above and is ideal
for maximum safety and efficiency when
working at height.