

# DATASHEET

## LARGE TG



### GENERAL

|                        |               |
|------------------------|---------------|
| Art.Nr:                | H-532-111-TG  |
| GTIN:                  | 8056734835892 |
| E-class number:        | 40-21-07-12   |
| Customs tariff number: | 76169990      |

|               |               |
|---------------|---------------|
| Standards:    | EN 12275:2013 |
| Net weight:   | 0.10 kg       |
| Gross weight: | 0.10 kg       |

# DATASHEET

## LARGE TG

This versatile all-purpose carabiner made of aluminum alloy impresses with its wide base, generous dimensions and automatic triplex gate. It was specially developed for rescue services and mountaineering and is ideal for demanding applications. Thanks to its robust construction with a resistant cross-section, it is perfectly designed for rope maneuvers with heavy loads. The wide opening enables comfortable handling, while the catch-free system reliably prevents accidental entanglement.

More on individual engraving  
<[https://www.skylotec.com/eu\\_en/custom-engraving](https://www.skylotec.com/eu_en/custom-engraving)>

### FEATURES

|                       |                                               |
|-----------------------|-----------------------------------------------|
| Colour:               | Silver                                        |
| Swivel:               | No                                            |
| Gate opening:         | 26 mm                                         |
| MBS MAJOR AXIS:       | 30 kN                                         |
| MBS GATE OPEN:        | 11 kN                                         |
| MBS MINOR AXIS:       | 8 kN                                          |
| Form fit:             | Key Lock                                      |
| Carabiner type:       | Type B (EN 12275: 2013), Type B (EN 362:2004) |
| Maximum lifetime:     | 30 years                                      |
| Min. temperature:     | -35 °C                                        |
| Max. temperature:     | 45 °C                                         |
| Standard ANSI:        | No                                            |
| Standard CSA:         | No                                            |
| UIAA compliance:      | Yes                                           |
| Anti-twist device:    | No                                            |
| Individually tested:  | Yes                                           |
| 100% quality control: | Yes                                           |
| Hot forged:           | No                                            |
| Hard coated:          | No                                            |
| Locking mechanism:    | Trilock                                       |

### DIMENSIONS

|       |              |
|-------|--------------|
| Size: | Not relevant |
|-------|--------------|

### MATERIAL

# DATASHEET

## LARGE TG

Material: Aluminium

---