

DATASHEET

AMPURI



GENERAL

Art.Nr:	G-2000-STD-L/XL	Standards:	EN 358:2018,EN 361:2002,EN 813:2024
GTIN:	4030281318682	Net weight:	1.80 kg
E-class number:	40-21-04-01	Gross weight:	2.10 kg
Customs tariff number:	63079098		

DATASHEET

AMPURI

AMPURI is an innovative fall arrest and work positioning harness designed for professional work at height, meeting the highest demands in energy, telecommunications, and industrial applications. Its ergonomic design reduces back strain and suspension trauma, while lightweight, breathable materials and movable padding ensure maximum comfort even during long periods of use. Colour-coded attachment points prevent misuse and increase safety. Certified to EN 361, EN 358, and EN 813, AMPURI stands for safety, ergonomics, and efficiency in everyday use.

FEATURES

Colour:	Black, Orange
Attachment points:	Dorsal aluminium attachment point, Side aluminium attachment point, Sternal polyamide attachment point, Restraint polyamide attachment point, Sit harness polyamide attachment point, Climbing protection polyamide attachment point
Number of material loops 15 kg:	4
Harness features:	Lanyard parking ring, High-Strength Gear Loops
Hand wash:	20 °C
Maximum lifetime:	10 years
Minimum body height:	185 cm
Maximum body height:	200 cm
Minimum hip size:	100 cm
Maximum hip size:	148 cm
Minimum leg size:	50 cm
Maximum leg size:	94 cm
Minimum temperature:	-35 °C
Maximum temperature:	65 °C
Padding:	Leg paddings, Shoulder paddings, Back padding
Buckles:	click_buckle

DATASHEET

AMPURI

Adjusting buckles:	Adjusting buckles hips, Adjusting buckles legs, Adjusting buckles shoulders
--------------------	---

DIMENSIONS

Size:	L-XL
-------	------

MATERIAL

Material:	Various, Aluminium, Polyamide, Polyester, Nylon, Thermoplastic polyurethane, PVC
-----------	--
